

anti- AGR2 antibody

Product Information

Catalog No.:	FNab00219
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Required for MUC2 post-transcriptional synthesis and secretion. May play a role in the production of mucus by intestinal cells(By similarity). Proto-oncogene that may play a role in cell migration, cell differentiation and cell growth.

Immunogen information

Immunogen:	anterior gradient homolog 2
Synonyms:	AG 2, AG2, AGR2, GOB 4, HAG 2, HPC8, PDIA17, XAG 2
Observed MW:	17-20 kDa
Uniprot ID :	O95994

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP, FC
Recommended dilution:	WB: 1:1000-1:5000; IHC: 1:20-1:500; IP: 1:500-1:2000
Image:	


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889


www.fn-test.com



Immunohistochemistry of paraffin-embedded human breast cancer using FNab00219(AGR2 antibody) at dilution of 1:100



IP Result of anti-AGR2 (IP:FNab00219, 4ug; Detection:FNab00219 1:1000) with SW 1990 cells lysate 2400ug.



mouse stomach tissue were subjected to SDS
PAGE followed by western blot with
FNab00219(AGR2 antibody) at dilution of 1:1000