

# anti- AK2 antibody

#### **Product Information**

Catalog No.: FNab00245

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 3B8
IsoType: IgG2a

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

## **Background**

Catalyzes the reversible transfer of the terminal phosphate group between ATP and AMP. Plays an important role in cellular energy homeostasis and in adenine nucleotide metabolism. Adenylate kinase activity is critical for regulation of the phosphate utilization and the AMP de novo biosynthesis pathways. Plays a key role in hematopoiesis.

## **Immunogen information**

Immunogen: adenylate kinase 2

Synonyms: Adenylate kinase 2, ADK2, AK 2, AK2, ATP AMP transphosphorylase 2

Observed MW: 26 kDa Uniprot ID: P54819

#### **Application**

Reactivity: Human

Tested Application: ELISA, WB, IHC, IF, FC

Recommended dilution: WB: 1:1000-1:8000; IHC: 1:20-200; IF: 1:20-200

#### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :( 0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>


1



## Image:




Immunohistochemistry of paraffin-embedded human liver slide using FNab00245(AK2 Antibody) at dilution of 1:50



Immunofluorescent analysis of HeLa cells using FNab00245( AK2 Antibody) at dilution of 1:25 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Mouse IgG(H+L)





HeLa cells were subjected to SDS PAGE followed by western blot with FNab00245(AK2 antibody) at dilution of 1:4000

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>