

anti- ANKRD50 antibody

Product Information

| | |
|---------------|---|
| Catalog No.: | FNab00415 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

Background

Involved in the endosome-to-plasma membrane trafficking and recycling of SNX27-retromer-dependent cargo proteins, such as GLUT1(PubMed:25278552).

Immunogen information

| | |
|--------------|---|
| Immunogen: | ankyrin repeat domain 50 |
| Synonyms: | ANKRD50, ankyrin repeat domain 50, KIAA1223 |
| Observed MW: | 156 kDa |
| UniprotID : | Q9ULJ7 |

Application

| | |
|-----------------------|--|
| Reactivity: | Human |
| Tested Application: | ELISA, WB, IP, IF |
| Recommended dilution: | WB: 1:200-1:1000; IF: 1:20-1:200; IP: 1:200-1:1000 |
| Image: | |



Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com

IP Result of anti-ANKRD50 (IP:FNab00415, 5ug;
Detection:FNab00415 1:300) with HEK-293 cells
lysate 4000ug.



HEK-293 cells were subjected to SDS PAGE
followed by western blot with
FNab00415(ANKRD50 Antibody) at dilution of
1:300