

anti-BRD3 antibody

Product Information

Catalog No.: FNab00947

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Binds hyperacetylated chromatin and plays a role in the regulation of transcription, probably by chromatin remodeling and interaction with transcription factors. Regulates transcription by promoting the binding of the transcription factor GATA1 to its targets(By similarity). Regulates transcription of the CCND1 gene.

Immunogen information

Immunogen: bromodomain containing 3

Synonyms: KIAA0043, RING3L

Observed MW: 95-105 kDa

UniprotID: Q15059

Application

Reactivity: Human, Mouse, Rat Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>



Image:




Immunohistochemistry of paraffin-embedded human ovary tumor using FNab00947(BRD3 antibody) at dilution of 1:50



IP Result of anti-BRD3 (IP:FNab00947, 4ug; Detection:FNab00947 1:500) with HeLa cells lysate 4000ug.





human brain tissue were subjected to SDS PAGE followed by western blot with FNab00947(BRD3 antibody) at dilution of 1:200