

## anti- CHCHD2 antibody

### Product Information

Catalog No.:	FNab01635
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Transcription factor. Binds to the oxygen responsive element of COX4I2 and activates its transcription under hypoxia conditions(4% oxygen), as well as normoxia conditions(20% oxygen)(PubMed:23303788).

### Immunogen information

Immunogen:	coiled-coil-helix-coiled-coil-helix domain containing 2
Synonyms:	C7orf17
Observed MW:	16-18 kDa
UniprotID :	Q9Y6H1

### Application


Reactivity:	Human, Mouse
Tested Application:	ELISA, IF, IP, WB
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:2000; IF: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :( 0086)027-87384275

Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



IP result of anti-CHCHD2(IP:FNab01635, 4ug;  
Detection:FNab01635 1:1000) with HepG2 cells  
lysate 2520 ug



HepG2 cells were subjected to SDS PAGE  
followed by western blot with  
FNab01635( CHCHD2 Antibody) at dilution of  
1:600

**Wuhan Fine Biotech Co., Ltd.**

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)