

anti- CXCL13 antibody

Product Information

Catalog No.: FNab02094

Size: 100µg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Chemotactic for B-lymphocytes but not for T-lymphocytes, monocytes and neutrophils. Does not induce calcium release in B-lymphocytes. Binds to BLR1/CXCR5.

Immunogen information

Immunogen: chemokine(C-X-C motif) ligand 13

Synonyms: ANGIE, ANGIE2, B cell attracting chemokine 1, B lymphocyte

chemoattractant, BLC, BLR1L, C X C motif chemokine 13, CXC chemokine BLC, CXCL13, SCYB13, Small inducible cytokine B13

Observed MW: 10 kDa Uniprot ID: 043927

Application

Reactivity: Human

Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:200-1:2000; IHC: 1:50-1:500

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>


1



Image:



Immunohistochemistry of paraffin-embedded human lymphoma tissue slide using FNab02094(CXCL13 Antibody) at dilution of 1:200 heat mediated antigen retrieved with Tris-EDTA buffer(pH9).



human placenta tissue were subjected to SDS PAGE followed by western blot with FNab02094(CXCL13 antibody) at dilution of 1:200

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>