

anti- DLEC1 antibody

Product Information

Catalog No.: FNab02407

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

May act as a tumor suppressor by inhibiting cell proliferation.

Immunogen information

Immunogen: deleted in lung and esophageal cancer 1

Synonyms: DLC1

Observed MW: 80-90 kDa, 46 kDa

UniprotID: Q9Y238

Application

Reactivity: Human, Mouse

Tested Application: ELISA, WB, IHC, IF, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:


1

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com






Immunohistochemistry of paraffin-embedded human testis using FNab02407(DLEC1 antibody) at dilution of 1:50



IP Result of anti-DLEC1 (IP:FNab02407, 4ug; Detection:FNab02407 1:300) with PC-3 cells lysate 1100ug.





human testis tissue were subjected to SDS PAGE followed by western blot with FNab02407(DLEC1 antibody) at dilution of 1:300

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com