

anti- DOCK180 antibody

Product Information

| | |
|---------------|---|
| Catalog No.: | FNab02492 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

Background

None

Immunogen information

| | |
|--------------|----------------------------|
| Immunogen: | dedicator of cytokinesis 1 |
| Synonyms: | None |
| Observed MW: | 180 kDa |
| UniprotID : | Q14185 |

Application


| | |
|-----------------------|---|
| Reactivity: | Human |
| Tested Application: | ELISA, WB, IHC, IF, IP |
| Recommended dilution: | WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:10-1:100 |
| Image: | |

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human colon slide using FNab02492(DOCK1 Antibody) at dilution of 1:50



IP Result of anti-DOCK180 (IP:FNab02492, 4ug; Detection:FNab02492 1:1000) with HeLa cells lysate 3200ug.



HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab02492(DOCK1 antibody) at dilution of 1:1000