

anti- FBXO7 antibody

Product Information

Catalog No.: FNab03049

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Substrate recognition component of a SCF(SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. Recognizes BIRC2 and DLGAP5. Plays a role downstream of PINK1 in the clearance of damaged mitochondria via selective autophagy(mitophagy) by targeting PARK2 to dysfunctional depolarized mitochondria. Promotes MFN1 ubiquitination.

Immunogen information

Immunogen: F-box protein 7

Synonyms: FBX7

Observed MW: 58.5 kDa
UniprotID: 09Y3I1

Application

Reactivity: Human, Mouse

Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000: IP: 1:200-1:1000: IHC: 1:20-1:200

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com


1



Image:




Immunohistochemistry of paraffin-embedded human prostate cancer using FNab03049(FBXO7 antibody) at dilution of 1:100



IP Result of anti-FBXO7 (IP:FNab03049, 3ug; Detection:FNab03049 1:800) with mouse testis tissue lysate 4000ug.





HeLa cells were subjected to SDS PAGE followed by western blot with FNab03049(FBXO7 antibody) at dilution of 1:1000