

# anti- FCN1 antibody

### **Product Information**

Catalog No.: FNab03060

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

## **Background**

The ficolinfamily of proteins are characterized by the presence of a leader peptide, a short N-terminal segment, followed by a collagen-like region, and a C-terminal fibrinogen-like domain. The collagen-like and the fibrinogen-like domains are also found separately in other proteins such as complement protein C1q, C-type lectins known as collectins, and tenascins. However, all these proteins recognize different targets, and are functionally distinct. Ficolin 1 encoded by FCN1 is predominantly expressed in the peripheral blood leukocytes, and has been postulated to function as a plasma protein with elastin-binding activity.

### **Immunogen information**

Immunogen: ficolin (collagen/fibrinogen domain containing) 1

Synonyms: FCNM
Observed MW: 38 kDa
UniprotID: 000602

# **Application**

Reactivity: Human, Mouse, Rat

## 1

## Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:500 - 1:2000; IHC: 1:50 - 1:200

Image:



Immunohistochemistry of paraffin-embedded human brain astrocytoma using FNab03060( FCN1 Antibody) at dilution of 1:100



mouse heart tissue were subjected to SDS PAGE followed by western blot with FNab03060(FCN1 antibody) at dilution of 1:1000

## Wuhan Fine Biotech Co., Ltd.