

anti- GSTA1 antibody

Product Information

Catalog No.: FNab03686

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles.

Immunogen information

Immunogen: glutathione S-transferase alpha 1

Synonyms: Glutathione S transferase A1, GST class alpha member 1, GST epsilon,

GST HA subunit 1, GST2, GSTA1, GSTA1 1, GTH1

Observed MW: 26kd Uniprot ID: P08263

Application

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB, IHC, IF, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:1000; IHC: 1:200-1:500; IF: 1:10-1:100

Image:


1

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>






Immunohistochemistry of paraffin-embedded human liver using FNab03686(GSTA1 antibody) at dilution of 1:50




Immunofluorescent analysis of HepG2 cells, using FNab03686(GSTA1 antibody) at 1:25 dilution





IP Result of anti-GSTA1 (IP:FNab03686, 3ug; Detection:FNab03686 1:500) with mouse liver tissue lysate 4000ug.



mouse liver tissue were subjected to SDS PAGE followed by western blot with FNab03686(GSTA1 antibody) at dilution of 1:1000

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)