

anti- HBG1 antibody

Product Information

Catalog No.:	FNab03770
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	\geq 95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Gamma chains make up the fetal hemoglobin F, in combination with alpha chains.

Immunogen information

Immunogen:	hemoglobin, gamma A
Synonyms:	Gamma 1 globin, Hb F Agamma, HBG1, HBGA, HBGR, Hemoglobin gamma 1 chain, Hemoglobin gamma A chain, Hemoglobin subunit gamma 1, hemoglobin, gamma A, HSGGL1, PRO2979
Observed MW:	14-16 kDa
Uniprot ID :	P69891

Application


Reactivity:	Human, Mouse, Rat	
Tested Application:	ELISA, WB, IHC, IP	
Recommended dilution: WB: 1:500-1:1000; IHC: 1:50-1:200; IP: 1:200-1:1000		
Image:		

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan,
Hubei, China(430206)Tel :(0086)027-87384275Fax: (0086)027-87800889www.fn-test.com

1





Immunohistochemistry of paraffin-embedded rat brain using FNab03770(HBG1 antibody) at dilution of 1:100



IP Result of anti-HBG1 (IP:FNab03770, 3ug; Detection:FNab03770 1:300) with K-562 cells lysate 2000ug.


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889

www.fn-test.com





human placenta tissue were subjected to SDS PAGE followed by western blot with FNab03770(HBG1 Antibody) at dilution of 1:600

3

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)