

anti- HER2/ErbB2 antibody

Product Information

Catalog No.: FNab03834

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

This gene encodes a member of the epidermal growth factor (EGF) receptor family of receptor tyrosine kinases. This protein has no ligand binding domain of its own and therefore cannot bind growth factors. However, it does bind tightly to other ligand-bound EGF receptor family members to form a heterodimer, stabilizing ligand binding and enhancing kinase-mediated activation of downstream signalling pathways, such as those involving mitogen-activated protein kinase and phosphatidylinositol-3 kinase. Amplification and/or overexpression of this gene has been reported in numerous cancers, including breast and ovarian tumors.

Immunogen information

Immunogen: v-erb-b2 erythroblastic leukemia viral oncogene homolog 2,

neuro/glioblastoma derived oncogene homolog(avian)

Synonyms: CD340, ERBB2, HER 2, HER 2/neu, HER2, MLN 19, MLN19, NEU,

NGL, p185, p185erbB2, Proto oncogene c ErbB 2, Proto oncogene Neu,

TKR1

Observed MW: 185 kDa UniprotID: P04626

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Application

Reactivity: Human


Tested Application: ELISA, WB, IHC, IF

Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:




Immunohistochemistry of paraffin-embedded human breast cancer using FNab03834(ERBB2 antibody) at dilution of 1:50



Immunofluorescent analysis of HeLa cells using FNab03834 (ErbB2 antibody) at dilution of 1:50 and Alexa Fluor 488-congugated Goat Anti-Rabbit IgG(H+L)





HeLa cells were subjected to SDS PAGE followed by western blot with FNab03834(ERBB2 antibody) at dilution of 1:500