

## anti- HEY1 antibody

### Product Information

Catalog No.:	FNab03849
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Transcriptional repressor which binds preferentially to the canonical E box sequence 5'-CACGTG-3'(PubMed:11095750). Downstream effector of Notch signaling required for cardiovascular development. Specifically required for the Notch-induced endocardial epithelial to mesenchymal transition, which is itself critical for cardiac valve and septum development. May be required in conjunction with HEY2 to specify arterial cell fate or identity. Promotes maintenance of neuronal precursor cells and glial versus neuronal fate specification. Represses transcription by the cardiac transcriptional activators GATA4 and GATA6 and by the neuronal bHLH factors ASCL1/MASH1 and NEUROD4/MATH3(PubMed:15485867). Involved in the regulation of liver cancer cells self-renewal(PubMed:25985737).

### Immunogen information

Immunogen:	hairy/enhancer-of-split related with YRPW motif 1
Synonyms:	BHLHB31, CHF2, HERP2, HESR1, HRT1
Observed MW:	33 kDa
Uniprot ID :	Q9Y5J3

### Application

1

### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889


[www.fn-test.com](http://www.fn-test.com)

Reactivity: Human, Mouse, Rat


Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:5000; IP: 1:200-1:2000; IHC: 1:20-1:200


Image:



Immunohistochemistry of paraffin-embedded human brain using FNab03849(HEY1 antibody) at dilution of 1:100



IP Result of anti-HEY1 (IP:FNab03849, 4ug; Detection:FNab03849 1:500) with mouse kidney tissue lysate 4400ug.



DU 145 cells were subjected to SDS PAGE followed by western blot with FNab03849(HEY1 antibody) at dilution of 1:3000