

anti- HSD17B7 antibody

Product Information

Catalog No.:	FNab04029
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Responsible for the reduction of the keto group on the C-3 of sterols.

Immunogen information

Immunogen:	hydroxysteroid(17-beta) dehydrogenase 7 pseudogene 2
Synonyms:	SDR37C1
Observed MW:	35-38 kDa
Uniprot ID :	P56937

Application


Reactivity:	Human
Tested Application:	ELISA, IHC, WB, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human liver using FNab04029(HSD17B7P2 antibody) at dilution of 1:50



IP Result of anti-HSD17B7 (IP:FNab04029, 4ug; Detection:FNab04029 1:1000) with MCF-7 cells lysate 3200ug.



MCF7 cells were subjected to SDS PAGE followed by western blot with FNab04029(HSD17B7 antibody) at dilution of 1:1000