

## anti- IRF2BP2 antibody

### Product Information

Catalog No.:	FNab04388
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Acts as a transcriptional corepressor in a IRF2-dependent manner; this repression is not mediated by histone deacetylase activities. Represses the NFAT1-dependent transactivation of NFAT-responsive promoters. Acts as a coactivator of VEGFA expression in cardiac and skeletal muscle.

### Immunogen information

Immunogen:	interferon regulatory factor 2 binding protein 2
Synonyms:	IRF 2 binding protein 2, IRF 2BP2, IRF2BP2
Observed MW:	61 kDa
UniprotID :	Q7Z5L9

### Application


Reactivity:	Human, Mouse
Tested Application:	ELISA, WB, IHC, IP, IF
Recommended dilution:	WB: 1:1000-1:4000; IP: 1:500-1:1000; IHC: 1:20-1:200; IF: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)




Immunohistochemistry of paraffin-embedded human lung cancer tissue slide using FNab04388 (IRF2BP2 Antibody) at dilution of 1:50



Immunofluorescent analysis of (10% Formaldehyde) fixed HepG2 cells using FNab04388 (IRF2BP2 antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG (H+L)



IP Result of anti-IRF2BP2 (IP:FNab04388, 3ug; Detection:1FNab04388 1:500) with K-562 cells lysate 2400ug.



Jurkat cells were subjected to SDS PAGE followed by western blot with FNab04388(IRF2BP2 antibody) at dilution of 1:500