

# anti- MAD2L1 antibody

#### **Product Information**

Catalog No.: FNab04923

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

# **Background**

Component of the spindle-assembly checkpoint that prevents the onset of anaphase until all chromosomes are properly aligned at the metaphase plate. Required for the execution of the mitotic checkpoint which monitors the process of kinetochore-spindle attachment and inhibits the activity of the anaphase promoting complex by sequestering CDC20 until all chromosomes are aligned at the metaphase plate.

#### **Immunogen information**

Immunogen: MAD2 mitotic arrest deficient-like 1(yeast)

Synonyms: HSMAD2, MAD2, MAD2 like protein 1, MAD2L1

Observed MW: 25-30 kDa UniprotID: Q13257

## Application

Reactivity: Human, Mouse, Rat
Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200

## Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com


1



# Image:




Immunohistochemistry of paraffin-embedded human liver cancer using FNab04923(MAD2L1 antibody) at dilution of 1:50



IP Result of anti-MAD2L1 (IP:FNab04923, 3ug; Detection:FNab04923 1:500) with HEK-293 cells lysate 1800ug.





HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab04923(MAD2L1 antibody) at dilution of 1:800

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com