

anti- MAP4 antibody

Product Information

Catalog No.:	FNab04979
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3 , -20°C for 24 months (Avoid repeated freeze / thaw cycles.)

Background

MAP4 is a ubiquitously expressed microtubule-associated protein involved in the organization and stabilization of microtubules during various cellular activities. Recently it has been reported that expression of MAP4 was upregulated in esophageal squamous cell carcinoma(ESCC). MAP4 has been considered as an independent prognostic factor for ESCC.(26876215)

Immunogen information

Immunogen:	microtubule-associated protein 4
Synonyms:	DKFZp779A1753, MAP 4, MAP4
Observed MW:	210-240 kDa
Uniprot ID :	P27816

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, IHC, WB, IP
Recommended dilution:	WB: 1:200-1:2000; IP: 1:500-1:2000; IHC: 1:50-1:500
Image:	


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889


www.fn-test.com



Immunohistochemistry of paraffin-embedded human oesophagus cancer tissue slide using FNab04979(MAP4 Antibody) at dilution of 1:200 heat mediated antigen retrieved with Tris-EDTA buffer(pH9).



IP Result of anti-MAP4 (IP: FNab04979, 4ug; Detection: FNab04979 1:1000) with HEK-293 cells lysate 1200ug.



HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab04979(MAP4 Antibody) at dilution of 1:600