

## anti- MCP1 antibody

### Product Information

Catalog No.:	FNab05065
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Immunogen information

Immunogen:	chemokine(C-C motif) ligand 2
Synonyms:	C C motif chemokine 2, CCL2, chemokine(C C motif) ligand 2, GDCF 2, HC11, HSMCR30, MCAF, MCP 1, MCP1, Monocyte chemotactic protein 1, Monocyte secretory protein JE, SCYA2, Small inducible cytokine A2, SMC CF
Observed MW:	11 kDa, 15 kDa, 25 kDa
Uniprot ID :	P13500

### Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IF
Recommended dilution:	WB: 1:200-1:1000; IHC: 1:50 - 1:200; IF: 1:20-1:200
Image:	


### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889


[www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human breast cancer tissue slide using FNab05065( MCP1 antibody) at dilution of 1:100



Immunofluorescent analysis of HeLa cells using FNab05065( MCP1 Antibody) at dilution of 1:50 and Alexa Fluor 488-conjugated Goat Anti-Rabbit IgG(H+L)



Various lysates were subjected to SDS PAGE followed by western blot with FNab05065(MCP1 Antibody) at dilution of 1:500

**Wuhan Fine Biotech Co., Ltd.**

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889

[www.fn-test.com](http://www.fn-test.com)