

## anti- NFATC3 antibody

### Product Information

Catalog No.:	FNab05691
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Acts as a regulator of transcriptional activation. Plays a role in the inducible expression of cytokine genes in T-cells, especially in the induction of the IL-2.

### Immunogen information

Immunogen:	nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 3
Synonyms:	NF AT4, NF ATc3, NFAT4, NFATC3, NFATX
Observed MW:	130-170 kDa
UniprotID :	Q12968

### Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, IHC, WB, IP
Recommended dilution:	WB: 1:200-1:1000; IP: 1:500-1:1000; IHC: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human ovary using FNab05691(NFATC3 antibody) at dilution of 1:100



IP Result of anti-NFATC3 (IP:FNab05691, 5ug; Detection:FNab05691 1:500) with mouse skeletal muscle tissue lysate 2000ug.



mouse thymus tissue were subjected to SDS PAGE followed by western blot with FNab05691(NFATC3 Antibody) at dilution of 1:300