

anti- NUF2 antibody

Product Information

Catalog No.: FNab05909

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Acts as a component of the essential kinetochore-associated NDC80 complex, which is required for chromosome segregation and spindle checkpoint activity(PubMed:12438418,

PubMed:14654001, PubMed:15062103, PubMed:15235793, PubMed:15239953,

PubMed:15548592, PubMed:17535814). Required for kinetochore integrity and the organization of stable microtubule binding sites in the outer plate of the kinetochore(PubMed:15548592). The NDC80 complex synergistically enhances the affinity of the SKA1 complex for microtubules and may allow the NDC80 complex to track depolymerizing microtubules(PubMed:23085020).

Immunogen information

Immunogen: NUF2, NDC80 kinetochore complex component, homolog(S. cerevisiae)

Synonyms: CDCA1, NUF2R

Observed MW: 50kd

UniprotID: Q9BZD4

Application

Reactivity: Human, Mouse, Rat

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com



Tested Application: ELISA, WB, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:2000

Image:




IP Result of anti-NUF2 (IP:FNab05909, 3ug; Detection:FNab05909 1:500) with HEK-293 cells lysate 1760ug.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com





HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab05909(NUF2 antibody) at dilution of 1:500