

# anti- PARP3 antibody

#### **Product Information**

Catalog No.: FNab06158

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

### **Background**

Involved in the base excision repair(BER) pathway, by catalyzing the poly(ADP-ribosyl)ation of a limited number of acceptor proteins involved in chromatin architecture and in DNA metabolism. This modification follows DNA damages and appears as an obligatory step in a detection/signaling pathway leading to the reparation of DNA strand breaks. May link the DNA damage surveillance network to the mitotic fidelity checkpoint. Negatively influences the G1/S cell cycle progression without interfering with centrosome duplication. Binds DNA.May be involved in the regulation of PRC2 and PRC3 complex-dependent gene silencing.

#### Immunogen information

Immunogen: poly(ADP-ribose) polymerase family, member 3

Synonyms: ADPRT3, ADPRTL3

Observed MW: 60-62 kDa UniprotID: Q9Y6F1

## **Application**

Reactivity: Human, Mouse, Rat

#### 1

#### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Tested Application: ELISA, WB, IHC, IF

Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:



Immunohistochemistry of paraffin-embedded human pancreas cancer using FNab06158(PARP3 antibody) at dilution of 1:50



human kidney tissue were subjected to SDS PAGE followed by western blot with FNab06158(PARP3 antibody) at dilution of 1:500