

## anti-peroxiredoxin 2 antibody

### Product Information

|               |   |
|---------------|---|
| Catalog No.:  | FNab06319   |
| Size:         | 100µg   |
| Form:         | liquid  |
| Purification: | Immunogen affinity purified   |
| Purity:       | ≥95% as determined by SDS-PAGE  |
| Host:         | Rabbit  |
| Clonality:    | polyclonal  |
| Clone ID:     | None  |
| IsoType:      | IgG   |
| Storage:      | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

### Background

None

### Immunogen information

|              |                 |
|--------------|-----------------|
| Immunogen:   | peroxiredoxin 2 |
| Synonyms:    | None            |
| Observed MW: | 22 kDa          |
| UniprotID :  | P32119          |

### Application


|                       |   |
|-----------------------|---|
| Reactivity:           | Human, Mouse, Rat                                   |
| Tested Application:   | ELISA, IHC, WB, IP                                  |
| Recommended dilution: | WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200 |
| Image:                |   |

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human liver tissue using FNab06319(PRDX2 antibody) at dilution of 1:50



IP Result of anti-peroxiredoxin 2 (IP:FNab06319, 4ug; Detection:FNab06319 1:1000) with HEK-293 cells lysate 2800ug.



HeLa cells were subjected to SDS PAGE followed by western blot with FNab06319(PRDX2 antibody) at dilution of 1:500