

# anti- PGAM2 antibody

## **Product Information**

| Catalog No.:  | FNab06347   |
|---------------|---|
| Size:         | 100µg   |
| Form:         | liquid  |
| Purification: | Immunogen affinity purified   |
| Purity:       | $\geq$ 95% as determined by SDS-PAGE  |
| Host:         | Rabbit  |
| Clonality:    | polyclonal  |
| Clone ID:     | None  |
| IsoType:      | IgG   |
| Storage:      | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

## Background

Interconversion of 3-and 2-phosphoglycerate with 2,3-bisphosphoglycerate as the primer of the reaction. Can also catalyze the reaction of EC 5.4.2.4(synthase) and EC 3.1.3.13(phosphatase), but with a reduced activity.

#### **Immunogen information**

| Immunogen:   | phosphoglycerate mutase 2(muscle) |
|--------------|-----------------------------------|
| Synonyms:    | PGAMM                             |
| Observed MW: | 28-29 kDa                         |
| UniprotID :  | P15259                            |

# Application

| Reactivity:          | Human, Mouse      |
|----------------------|-------------------|
| Tested Application:  | ELISA, WB         |
| Recommended dilution | :WB: 1:500-1:2000 |
| Image:               |                   |


#### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :( 0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1





mouse skeletal muscle tissue were subjected to SDS PAGE followed by western blot with FNab06347(PGAM2 antibody) at dilution of 1:1500

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :( 0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>