

anti- PLRG1 antibody

Product Information

| | |
|---------------|---|
| Catalog No.: | FNab06556 |
| Size: | 100µg |
| Form: | liquid |
| Purification: | Immunogen affinity purified |
| Purity: | ≥95% as determined by SDS-PAGE |
| Host: | Rabbit |
| Clonality: | polyclonal |
| Clone ID: | None |
| IsoType: | IgG |
| Storage: | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

Background

Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing.

Immunogen information

| | |
|--------------|--|
| Immunogen: | pleiotropic regulator 1(PRL1 homolog, Arabidopsis) |
| Synonyms: | None |
| Observed MW: | 55-60 kDa |
| UniprotID : | O43660 |

Application


| | |
|-----------------------|------------------------------------|
| Reactivity: | Human |
| Tested Application: | ELISA, WB, IP |
| Recommended dilution: | WB: 1:500-1:2000; IP: 1:200-1:2000 |
| Image: | |

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com



IP Result of anti-PLRG1 (IP:FNab06556, 4ug;
Detection:FNab06556 1:1000) with HEK-293 cells
lysate 1400ug.



K-562 cells were subjected to SDS PAGE
followed by western blot with FNab06556(PLRG1
antibody) at dilution of 1:1000