

anti-POPDC3 antibody

Product Information

Catalog No.: FNab06643

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

May play a role in the maintenance of heart function mediated, at least in part, through cAMP-binding.

Immunogen information

Immunogen: popeye domain containing 3

Synonyms: POP3, POPDC3, popeye domain containing 3, Popeye protein 3, RP11

99L11.2

Observed MW: 60 kDa
UniprotID: Q9HBV1

Application

Reactivity: Human, Mouse, Rat
Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:50-1:500

Image:


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1






Immunohistochemistry of paraffin-embedded human placenta using FNab06643(POPDC3 antibody) at dilution of 1:50



IP Result of anti-POPDC3 (IP:FNab06643, 3ug; Detection:FNab06643 1:1000) with HeLa cells lysate 220ug.





COLO 320 cells were subjected to SDS PAGE followed by western blot with FNab06643(POPDC3 antibody) at dilution of 1:1000

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com