

anti- RAD51 antibody

Product Information

Catalog No.:	FNab07079
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	\geq 95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Plays an important role in homologous strand exchange, a key step in DNA repair through homologous recombination. Binds to single and double-stranded DNA and exhibits DNAdependent ATPase activity. Catalyzes the recognition of homology and strand exchange between homologous DNA partners to form a joint molecule between a processed DNA break and the repair template. Binds to single-stranded DNA in an ATP-dependent manner to form nucleoprotein filaments which are essential for the homology search and strand exchange(PubMed:26681308). Part of a PALB2-scaffolded HR complex containing BRCA2 and RAD51C and which is thought to play a role in DNA repair by HR. Plays a role in regulating mitochondrial DNA copy number under conditions of oxidative stress in the presence of RAD51C and XRCC3.

Immunogen information

Immunogen:	RAD51 homolog
Synonyms:	RAD51A, RECA
Observed MW:	37 kDa
Uniprot ID :	Q06609


Application


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206) Tel :(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com



Reactivity:Human, Mouse, RatTested Application:ELISA, WB, IP,IHCRecommended dilution: WB: 1:500-1:5000; IP: 1:500-1:5000; IHC: 1:50-1:500Image:





Immunohistochemistry of paraffin-embedded human testis tissue slide using FNab07079(RAD51 Antibody) at dilution of 1:200

IP Result of anti-RAD51 (IP:FNab07079, 3ug; Detection:FNab07079 1:1000) with mouse testis tissue lysate 4000ug.

2

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fa

Fax: (0086)027-87800889

www.fn-test.com





HeLa cells were subjected to SDS PAGE followed by western blot with FNab07079(RAD51 Antibody) at dilution of 1:1000

3

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com