

anti- RAIDD antibody

Product Information

Catalog No.:	FNab07092
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

RAIDD, also named as CRADD, is an apoptotic adaptor molecule specific for caspase-2 and FASL/TNF receptor-interacting protein RIP. In the presence of RIP and TRADD, CRADD recruits caspase-2 to the TNFR-1 signalling complex. CRADD interacts with BCL10 through its caspase recruitment domain and suppresses interactions between BCL10 and CARMA1. It is a negative regulator of the CARMA1 signalosome and suppressor of Th1- and Th17-mediated inflammatory responses.

Immunogen information

Immunogen:	CASP2 and RIPK1 domain containing adaptor with death domain
Synonyms:	CRADD, RAIDD
Observed MW:	23 kDa
Uniprot ID :	P78560

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:2000; IHC: 1:20-1:200


Image:



Immunohistochemistry of paraffin-embedded human colon cancer using FNab07092(CRADD antibody) at dilution of 1:100



IP Result of anti-RAIDD (IP: FNab07092, 3ug; Detection:1 FNab07092 1:1000) with mouse kidney tissue lysate 4000ug.



K-562 cells were subjected to SDS PAGE followed by western blot with FNab07092(CRADD antibody) at dilution of 1:1000