

anti- RDH10 antibody

Product Information

Catalog No.:	FNab07216
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Retinol dehydrogenase with a clear preference for NADP. Converts all-trans-retinol to all-trans-retinal. Has no detectable activity towards 11-cis-retinol, 9-cis-retinol and 13-cis-retinol.

Immunogen information

Immunogen:	retinol dehydrogenase 10(all-trans)
Synonyms:	SDR16C4
Observed MW:	39 kDa
UniprotID :	Q8IZV5

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human lung cancer using FNab07216(RDH10 antibody) at dilution of 1:100



IP Result of anti-RDH10 (IP:FNab07216, 3ug; Detection:FNab07216 1:700) with mouse liver tissue lysate 4000ug.



human kidney tissue were subjected to SDS PAGE followed by western blot with FNab07216(RDH10 antibody) at dilution of 1:1000