

# anti- RGS17 antibody

#### **Product Information**

Catalog No.: FNab07268

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

# **Background**

Regulates G protein-coupled receptor signaling cascades, including signaling via muscarinic acetylcholine receptor CHRM2 and dopamine receptor DRD2. Inhibits signal transduction by increasing the GTPase activity of G protein alpha subunits, thereby driving them into their inactive GDP-bound form(PubMed:15096504). Binds selectively to GNAZ and GNAI2 subunits, accelerates their GTPase activity and regulates their signaling activities. Negatively regulates mu-opioid receptor-mediated activation of the G-proteins(By similarity).

### **Immunogen information**

Immunogen: regulator of G-protein signaling 17

Synonyms: RGSZ2
Observed MW: 27 kDa
UniprotID: Q9UGC6

### **Application**

Reactivity: Human, Mouse

Tested Application: ELISA, WB, IHC, IF

## Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1




Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:



Immunohistochemistry of paraffin-embedded human testis slide using FNab07268(RGS17 Antibody) at dilution of 1:50



mouse lung tissue were subjected to SDS PAGE followed by western blot with FNab07268(RGS17 antibody) at dilution of 1:1000