

## anti- RPL7 antibody

### Product Information

Catalog No.:	FNab07442
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Binds to G-rich structures in 28S rRNA and in mRNAs. Plays a regulatory role in the translation apparatus; inhibits cell-free translation of mRNAs.

### Immunogen information

Immunogen:	ribosomal protein L7
Synonyms:	60S ribosomal protein L7, humL7 1, ribosomal protein L7, RPL7
Observed MW:	29-30 kDa
UniprotID :	P18124

### Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP, IF
Recommended dilution:	WB: 1:500-1:3000; IP: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:50-1:500
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded mouse kidney using FNab07442(RPL7 antibody) at dilution of 1:100



IP Result of anti-RPL7 (IP:FNab07442, 3ug; Detection:FNab07442 1:1000) with HEK-293 cells lysate 880ug.



HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab07442(RPL7 antibody) at dilution of 1:1500