

anti- SBDS antibody

Product Information

Catalog No.: FNab07617

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

This gene encodes a highly conserved protein that plays an essential role in ribosome biogenesis. The encoded protein interacts with elongation factor-like GTPase 1 to disassociate eukaryotic initiation factor 6 from the late cytoplasmic pre-60S ribosomal subunit allowing assembly of the 80S subunit. Mutations within this gene are associated with the autosomal recessive disorder Shwachman-Bodian-Diamond syndrome. This gene has a closely linked pseudogene that is distally located.

Immunogen information

Immunogen: Shwachman-Bodian-Diamond syndrome

Synonyms: None
Observed MW: 34 kDa
UniprotID: Q9Y3A5

Application

Reactivity: Human, Mouse, Rat
Tested Application: ELISA, WB, IHC, IF


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com



Recommended dilution: WB: 1:500 - 1:2000; IHC: 1:50 - 1:100; IF: 1:50 - 1:200 Image:



Immunohistochemistry of paraffin-embedded human gastric cancer using FNab07617(SBDS antibody) at dilution of 1:50



HL-60 cells were subjected to SDS PAGE followed by western blot with FNab07617(SBDS antibody) at dilution of 1:1000