

anti- SH2D3C antibody

Product Information

Catalog No.:	FNab07823
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Eph receptor-binding protein which may be a positive regulator of TCR signaling. Binding to BCAR1 is required to induce membrane ruffling and promote EGF-dependent cell migration (By similarity).

Immunogen information

Immunogen:	SH2 domain containing 3C
Synonyms:	NSP3
Observed MW:	77 kDa
UniprotID :	Q8N5H7

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IHC, IP
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human breast cancer using FNab07823(SH2D3C antibody) at dilution of 1:100



IP Result of anti-SH2D3C (IP:FNab07823, 3ug; Detection:FNab07823 1:500) with mouse brain tissue lysate 6000ug.



HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab07823(SH2D3C antibody) at dilution of 1:300