

anti- SIX5 antibody

Product Information

Catalog No.: FNab07889

Size: 100µg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Transcription factor that is thought to be involved in regulation of organogenesis. May be involved in determination and maintenance of retina formation. Binds a 5'-GGTGTCAG-3' motif present in the ARE regulatory element of ATP1A1. Binds a 5'-TCA[AG][AG]TTNC-3' motif present in the MEF3 element in the myogenin promoter, and in the IGFBP5 promoter (By similarity). Thought to be regulated by association with Dach and Eya proteins, and seems to be coactivated by EYA1, EYA2 and EYA3 (By similarity).

Immunogen information

Immunogen: SIX homeobox 5

Synonyms: DMAHP

Observed MW: 100-105 kDa

UniprotID: Q8N196

Application

Reactivity: Human

Tested Application: ELISA, IHC, WB, IP

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1




Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200

Image:




Immunohistochemistry of paraffin-embedded human kidney tissue slide using FNab07889(SIX5 Antibody) at dilution of 1:200



IP Result of anti-SIX5 (IP:FNab07889, 4ug; Detection:FNab07889 1:300) with Y79 cells lysate 2000ug.





Y79 cells were subjected to SDS PAGE followed by western blot with FNab07889(SIX5 Antibody) at dilution of 1:600

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com