

anti- SMYD3 antibody

Product Information

Catalog No.: FNab08049

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Histone methyltransferase. Specifically methylates 'Lys-4' of histone H3, inducing di-and trimethylation, but not monomethylation(PubMed:15235609, PubMed:22419068). Also methylates 'Lys-5' of histone H4(PubMed:22419068). Plays an important role in transcriptional activation as a member of an RNA polymerase complex(PubMed:15235609). Binds DNA containing 5'-CCCTCC-3' or 5'-GAGGGG-3' sequences(PubMed:15235609).

Immunogen information

Immunogen: SET and MYND domain containing 3

Synonyms: ZMYND1, ZNFN3A1

Observed MW: 42-45 kDa UniprotID: Q9H7B4

Application

Reactivity: Human, Mouse, Rat
Tested Application: ELISA, IHC, IP, WB

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com


1



Image:




Immunohistochemistry of paraffin-embedded human breast cancer using FNab08049(SMYD3 antibody) at dilution of 1:50



IP Result of anti-SMYD3 (IP:FNab08049, 4ug; Detection:FNab08049 1:500) with COLO 320 cells lysate 1280ug.





mouse brain tissue were subjected to SDS PAGE followed by western blot with FNab08049(SMYD3 antibody) at dilution of 1:800

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com