

## anti- SPATA7 antibody

### Product Information

Catalog No.:	FNab08165
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

### Background

Involved in photoreceptor cells maintenance(By similarity). It is required for recruitment and proper localization of RPGRIP1 to the photoreceptor connecting cilium(CC), as well as protein trafficking across the CC to the outer segments(By similarity).

### Immunogen information

Immunogen:	spermatogenesis associated 7
Synonyms:	HSD3
Observed MW:	68-80 kDa
UniprotID :	Q9P0W8

### Application


Reactivity:	Human, Mouse
Tested Application:	ELISA, WB, IP, IHC
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

### Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :( 0086)027-87384275


Fax: (0086)027-87800889 [www.fn-test.com](http://www.fn-test.com)



Immunohistochemistry of paraffin-embedded human testis tissue slide using FNab08165 (SPATA7 Antibody) at dilution of 1:50



IP Result of anti-SPATA7 (IP:FNab08165, 3ug; Detection:FNab08165 1:300) with mouse testis tissue lysate 8000ug.



mouse testis tissue were subjected to SDS PAGE followed by western blot with FNab08165(SPATA7 antibody) at dilution of 1:300