

# anti-STIM1 antibody

#### **Product Information**

Catalog No.: FNab08321

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 4G6
IsoType: IgG2a

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

## **Background**

Plays a role in mediating store-operated Ca(2+) entry(SOCE), a Ca(2+) influx following depletion of intracellular Ca(2+) stores(By similarity). Acts as Ca(2+) sensor in the endoplasmic reticulum via its EF-hand domain. Upon Ca(2+) depletion, translocates from the endoplasmic reticulum to the plasma membrane where it activates the Ca(2+) release-activated Ca(2+)(CRAC) channel subunit ORAI1(PubMed:16208375). Involved in enamel formation(By similarity). Activated following interaction with TMEM110/STIMATE, leading to promote STIM1 conformational switch(By similarity).

#### **Immunogen information**

Immunogen: stromal interaction molecule 1

Synonyms: D11S4896E, GOK, STIM1, stromal interaction molecule 1

Observed MW: 77kd

Uniprot ID: Q13586

#### **Application**

Reactivity: Human, Mouse, Rat

#### 1

### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel :( 0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:200-1:2000 IHC: 1:50-1:500

Image:



Immunohistochemistry of paraffin-embedded human lung cancer tissue slide using FNab08321(STIM1 Antibody) at dilution of 1:200(under 10x lens). heat mediated antigen retrieved with Tris-EDTA buffer(pH9).



Jurkat cells were subjected to SDS PAGE followed by western blot with FNab08321(STIM1 Antibody) at dilution of 1:500