

anti- TLE3 antibody

Product Information

Catalog No.: FNab08723

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 8D6
IsoType: IgG1

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Transcriptional corepressor that binds to a number of transcription factors. Inhibits the transcriptional activation mediated by CTNNB1 and TCF family members in Wnt signaling. The effects of full-length TLE family members may be modulated by association with dominant-negative AES(By similarity).

Immunogen information

Immunogen: transducin-like enhancer of split 3(E(sp1) homolog, Drosophila)

Synonyms: KIAA1547

Observed MW: 90 kDa Uniprot ID: Q04726

Application

Reactivity: Human

Tested Application: ELISA, WB, IHC, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:500-1:1000; IHC: 1:20-1:200

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>


1



Image:



Immunohistochemistry of paraffin-embedded human breast cancer slide using FNab08723(TLE3 Antibody) at dilution of 1:50




IP Result of anti-TLE3 (IP:FNab08723, 5ug; Detection:FNab08723 1:500) with HEK-293 cells lysate 1480ug.

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>





HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab08723(TLE3 antibody) at dilution of 1:1000