

# anti- TMEM59 antibody

### **Product Information**

Catalog No.: FNab08787

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

## **Background**

Acts as a regulator of autophagy in response to S.aureus infection by promoting activation of LC3(MAP1LC3A, MAP1LC3B or MAP1LC3C). Acts by interacting with ATG16L1, leading to promote a functional complex between LC3 and ATG16L1 and promoting LC3 lipidation and subsequent activation of autophagy. Modulates the O-glycosylation and complex N-glycosylation steps occurring during the Golgi maturation of several proteins such as APP, BACE1, SEAP or PRNP. Inhibits APP transport to the cell surface and further shedding.

#### **Immunogen information**

Immunogen: transmembrane protein 59

Synonyms: C1orf8
Observed MW: 41 kDa
UniprotID: Q9BXS4

#### **Application**

Reactivity: Human

Tested Application: ELISA, IHC, WB, IF

#### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 www.fn-test.com

1




Recommended dilution: WB: 1:500-1:2000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:



Immunohistochemistry of paraffin-embedded human breast cancer slide using FNab08787(TMEM59 Antibody) at dilution of 1:50



MCF-7 cells were subjected to SDS PAGE followed by western blot with FNab08787(TMEM59 Antibody) at dilution of 1:300