

anti- TOP2B antibody

Product Information

Catalog No.: FNab08869

Size: $100\mu g$ Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Control of topological states of DNA by transient breakage and subsequent rejoining of DNA strands. Topoisomerase II makes double-strand breaks.

Immunogen information

Immunogen: topoisomerase(DNA) II beta 180kDa

Synonyms: None
Observed MW: 183 kDa
UniprotID: Q02880

Application

Reactivity: Human, Mouse

Tested Application: ELISA, WB, IHC, IF, IP

Recommended dilution: WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200; IF: 1:20-1:200

Image:


1

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>






Immunohistochemistry of paraffin-embedded human cervical cancer using FNab08869(TOP2B antibody) at dilution of 1:100



IP Result of anti-TOP2B (IP:FNab08869, 4ug; Detection:FNab08869 1:300) with HepG2 cells lysate 3200ug.





HeLa cells were subjected to SDS PAGE followed by western blot with FNab08869(TOP2B antibody) at dilution of 1:300