

anti- TRAF7 antibody

Product Information

Catalog No.:	FNab08922
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

E3 ubiquitin ligase capable of auto-ubiquitination, following phosphorylation by MAP3K3. Potentiates MEKK3-mediated activation of the NF-kappa-B, JUN/AP1 and DDIT3 transcriptional regulators. Induces apoptosis when overexpressed.

Immunogen information

Immunogen:	TNF receptor-associated factor 7
Synonyms:	RFWD1, RNF119
Observed MW:	67-75 kDa
UniprotID :	Q6Q0C0

Application


Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, IHC, IP, WB
Recommended dilution:	WB: 1:500-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human colon cancer using FNab08922(TRAF7 antibody) at dilution of 1:50



IP Result of anti-TRAF7 (IP:FNab08922, 3ug; Detection:FNab08922 1:300) with mouse liver tissue lysate 3000ug.



mouse heart tissue were subjected to SDS PAGE followed by western blot with FNab08922(TRAF7 Antibody) at dilution of 1:300