

anti-TRAPPC2 antibody

Product Information

Catalog No.: FNab08945

Size: 100µg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

TRAPPC2 is one component of the TRAPP multisubunit tethering complex involved in intracellular vesicle trafficking [PMID:21525244]. It acts as an adaptor for the TRAPP complex in mammalian cells, mediating interactions with both TRAPPC9 and TRAPPC8. It prevents transcriptional repression and induction of cell death by ENO1. Also it plays a role in vesicular transport from endoplasmic reticulum to Golgi.

Immunogen information

Immunogen: trafficking protein particle complex 2

Synonyms: HYP38334, MBP 1 interacting protein 2A, MIP 2A, SEDL, Sedlin,

SEDLP, SEDT, TRAPPC2, TRAPPC2P1, TRS20, ZNF547L

Observed MW: 17 kDa
Uniprot ID: P0DI81

Application

Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB, IP

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>

1




Recommended dilution: WB: 1:500-1:5000; IP: 1:200-1:2000

Image:



IP Result of anti-TRAPPC2 (IP:FNab08945, 3ug; Detection:FNab08945 1:500) with PC-3 cells lysate 2800ug.



human brain tissue were subjected to SDS PAGE followed by western blot with FNab08945(TRAPPC2 antibody) at dilution of 1:600

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>