

anti-TRIAP1 antibody

Product Information

Catalog No.: FNab08964

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Involved in the modulation of the mitochondrial apoptotic pathway by ensuring the accumulation of cardiolipin(CL) in mitochondrial membranes. In vitro, the TRIAP1:PRELID1 complex mediates the transfer of phosphatidic acid(PA) between liposomes and probably functions as a PA transporter across the mitochondrion intermembrane space to provide PA for CL synthesis in the inner membrane(PubMed:23931759). Likewise, the TRIAP1:PRELID3A complex mediates the transfer of phosphatidic acid(PA) between liposomes(in vitro) and probably functions as a PA transporter across the mitochondrion intermembrane space(in vivo)(PubMed:26071602). Mediates cell survival by inhibiting activation of caspase-9 which prevents induction of apoptosis(PubMed:15735003).

Immunogen information

Immunogen: TP53 regulated inhibitor of apoptosis 1

Synonyms: 15E1.1, HSPC132, P53CSV, Protein 15E1.1, TRIAP1, WF 1

Observed MW: 32 kDa Uniprot ID: 043715

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB

Recommended dilution: WB: 1:500-1:5000

Image:



Transfected HEK-293 cells were subjected to SDS PAGE followed by western blot with FNab08964(TRIAP1 Antibody) at dilution of 1:1000