

anti- TRIM41 antibody

Product Information

Catalog No.:	FNab08985
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Functions as an E3 ligase that catalyzes the ubiquitin-mediated degradation of protein kinase C.

Immunogen information

Immunogen:	tripartite motif-containing 41
Synonyms:	RINCK, TRIM41, tripartite motif containing 41
Observed MW:	72 kDa
Uniprot ID :	Q8WV44

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IF, IHC,IP
Recommended dilution:	WB: 1:500-1:5000; IP: 1:200-1:2000; IHC: 1:20-1:200; IF: 1:10-1:100
Image:	

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889


www.fn-test.com



Immunohistochemistry of paraffin-embedded human skeletal muscle using FNab08985(TRIM41 antibody) at dilution of 1:50



IP Result of anti-TRIM41 (IP:FNab08985, 4ug; Detection:FNab08985 1:600) with human plasma lysate 4000ug.



BxPC-3 cells were subjected to SDS PAGE followed by western blot with FNab08985(TRIM41 antibody) at dilution of 1:800