

anti-TRIP4 antibody

Product Information

Catalog No.: FNab08998

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

Clone ID: None IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Transcription coactivator which associates with nuclear receptors, transcriptional coactivators including EP300, CREBBP and NCOA1, and basal transcription factors like TBP and TFIIA to facilitate nuclear receptors-mediated transcription. May thereby play an important role in establishing distinct coactivator complexes under different cellular conditions. Plays a role in thyroid hormone receptor and estrogen receptor transactivation(PubMed:10454579, PubMed:25219498). Also involved in androgen receptor transactivation(By similarity). Plays a pivotal role in the transactivation of NF-kappa-B, SRF and AP1. Acts as a mediator of transrepression between nuclear receptor and either AP1 or NF-kappa-B(PubMed:12077347). May play a role in the development of neuromuscular junction(PubMed:26924529).

Immunogen information

Immunogen: thyroid hormone receptor interactor 4

Synonyms: TRIP4, TRIP 4, TR interacting protein 4, ASC 1, HsT17391

Observed MW: 66 kDa Uniprot ID: Q15650

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human, Mouse, Rat

Tested Application: ELISA, WB

Recommended dilution: WB: 1:500-1:5000

Image:



HL-60 cells were subjected to SDS PAGE followed by western blot with FNab08998(TRIP4 antibody) at dilution of 1:1000