

anti- TSC22D2 antibody

Product Information

Catalog No.:	FNab09036
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

None

Immunogen information

Immunogen:	TSC22 domain family, member 2
Synonyms:	KIAA0669, TILZ4, TILZ4a, TILZ4b, TILZ4c, TSC22 domain family protein 2, TSC22 domain family, member 2, TSC22D2
Observed MW:	79 kDa, Observed 110 kDa
UniprotID :	O75157

Application


Reactivity:	Human
Tested Application:	ELISA, WB, IHC, IF, IP
Recommended dilution:	WB: 1:200-1:2000; IP: 1:200-1:1000; IHC: 1:20-1:200; IF: 1:20-1:200
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human kidney tissue slide using FNab09036(TSC22D2 Antibody) at dilution of 1:50



IP Result of anti-TSC22D2 (IP:FNab09036, 5ug; Detection:FNab09036 1:300) with HepG2 cells lysate 2500ug.



HeLa cells were subjected to SDS PAGE followed by western blot with FNab09036(TSC22D2 Antibody) at dilution of 1:600

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com