

anti- WDR55 antibody

Product Information

Catalog No.:	FNab09498
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Nucleolar protein that acts as a modulator of rRNA synthesis. Plays a central role during organogenesis(By similarity).

Immunogen information

Immunogen:	WD repeat domain 55
Synonyms:	FLJ20195, FLJ21702, WD repeat domain 55, WDR55
Observed MW:	45 kDa
UniprotID :	Q9H6Y2

Application


Reactivity:	Human
Tested Application:	ELISA, IF, IHC, WB, IP
Recommended dilution:	WB: 1:200-1:1000; IF: 1:10-1:100; IHC: 1:20-1:200; IP: 1:200-1:1000
Image:	

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275


Fax: (0086)027-87800889 www.fn-test.com



Immunohistochemistry of paraffin-embedded human colon using FNab09498(WDR55 antibody) at dilution of 1:50



IP Result of anti-WDR55 (IP:FNab09498, 4ug; Detection:FNab09498 1:300) with HeLa cells lysate 3440ug.



HeLa cells were subjected to SDS PAGE followed by western blot with FNab09498(WDR55 Antibody) at dilution of 1:300

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com