

anti- Connexin-43 antibody

Product Information

Catalog No.: FNab10703

Size: 100μg Form: liquid

Purification: Immunogen affinity purified

Purity: ≥95% as determined by SDS-PAGE

Host: Rabbit

Clonality: polyclonal

IsoType: IgG

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

Gap junction protein that acts as a regulator of bladder capacity. A gap junction consists of a cluster of closely packed pairs of transmembrane channels, the connexons, through which materials of low MW diffuse from one cell to a neighboring cell. May play a critical role in the physiology of hearing by participating in the recycling of potassium to the cochlear endolymph. Negative regulator of bladder functional capacity: acts by enhancing intercellular electrical and chemical transmission, thus sensitizing bladder muscles to cholinergic neural stimuli and causing them to contract(By similarity). May play a role in cell growth inhibition through the regulation of NOV expression and localization. Plays an essential role in gap junction communication in the ventricles(By similarity).

Immunogen information

Immunogen: gap junction protein, alpha 1, 43kDa

Synonyms: Connexin-43, CX43, DFNB38, Gap junction alpha 1 protein, GJA1,

GJAL, ODDD

Observed MW: 47 kDa Uniprot ID: P17302

Application

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Reactivity: Human, Mouse, Rat


Tested Application: ELISA, WB, IF

Recommended dilution: WB: 1:500-1:2000; IF: 1:50-1:500

Image:



Immunofluorescent analysis of Hela cells using FNab10703(Connexin-43 antibody) at dilution of 1:50.



Rat brain tissue were subjected to SDS PAGE followed by western blot with FNab10703(Connexin-43 antibody) at dilution of 1:1000