

## anti- Phospho-TAU(S404) antibody

### Product Information

|               |   |
|---------------|---|
| Catalog No.:  | FNab10925   |
| Size:         | 100µg   |
| Form:         | liquid  |
| Purification: | Immunogen affinity purified   |
| Purity:       | ≥95% as determined by SDS-PAGE  |
| Host:         | Rabbit  |
| Clonality:    | polyclonal  |
| IsoType:      | IgG   |
| Storage:      | PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.) |

### Immunogen information

|              |   |
|--------------|---|
| Immunogen:   | A synthetic phosphorylated peptide around S404 of human Tau               |
| Synonyms:    | DDPAC, FTDP-17, MAPTL, MSTD, MTBT1, MTBT2, PPND, PPP1R103, TAU, MAPT, Tau |
| Observed MW: | 60kDa   |
| Uniprot ID : | P10636  |

### Application

|                          |                   |
|--------------------------|-------------------|
| Reactivity:              | Human, Mouse, Rat |
| Tested Application:      | WB                |
| Recommended dilution:WB: | 1:500-1:2000      |
| Image:                   |                   |


### Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889

[www.fn-test.com](http://www.fn-test.com)



SH-SY5Y were subjected to SDS PAGE followed by western blot with FNab10925 at dilution of 1:1000. SH-SY5Y were treated by okadaic acid(100nM) for 1 hour and calyculin A(100nM) for 30 minutes after serum-starvation overnight.