

anti- TMEM173 antibody

Product Information

Catalog No.: FNab10949

Size: 100μg Form: liquid

Purification: Protein A+G purification

Purity: ≥95% as determined by SDS-PAGE

Host: Mouse

Clonality: monoclonal

Clone ID: 1G9
IsoType: IgG2b

Storage: PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12

months (Avoid repeated freeze / thaw cycles.)

Background

This gene encodes a five transmembrane protein that functions as a major regulator of the innate immune response to viral and bacterial infections. The encoded protein is a pattern recognition receptor that detects cytosolic nucleic acids and transmits signals that activate type I interferon responses. The encoded protein has also been shown to play a role in apoptotic signaling by associating with type II major histocompatibility complex. Mutations in this gene are the cause of infantile-onset STING-associated vasculopathy. Alternate splicing results in multiple transcript variants.

Immunogen information

Immunogen: transmembrane protein 173

Synonyms: ERIS, hMITA, hSTING, MITA, MPYS, NET23, SAVI, STING

Observed MW: 39 kDa Uniprot ID: Q86WV6

Application

Reactivity: Human

1

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)


Tel:(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>




Tested Application: ELISA, WB, IHC

Recommended dilution: WB: 1:1000 - 1:5000; IHC: 1:100 - 1:500

Image:



Immunohistochemistry of paraffin-embedded human tonsillitis using FNab10949(TMEM173 antibody) at dilution of 1:200



THP-1 cells were subjected to SDS PAGE followed by western blot with FNab10949(TMEM173 antibody) at dilution of 1:2000

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel :(0086)027-87384275 Fax: (0086)027-87800889 <u>www.fn-test.com</u>